CASTILLO









Field Tile in Seagreen

AVAILABLE IN:

10.5mm Field Tiles				
SIZE	FINISH	COLORS		
24"×48"	Polished	White Nacar Seagreen		

All Sizes are Nominal.





White




Nacar



Seagreen







Features	Test Method	Value			
Water Absorption	ISO 10545-3	≤ 0.5%			
Breaking Strength	ISO 10545-4	1600 -2400 N			
Bending Strength	ISO 10545-4	35 -45 N/mm²			
Thermal Resistance	ISO 10545-9	Resists			
Crazing Resistance	ISO 10545-11	Resists			
Frost Resistance	ISO 10545-12	Resistant			
Chemical Resistance	ISO 10545-13	Household Chemical	Low Concentration		
Chemical Resistance		A	В		
Stain Resistance	ISO 10545-14	5			
Recycled Material	-	31%			
This product will contribute to USGBC registered LEED projects. It will also contribute to the ANSI approved NAHB Green Building Standard ICC 700.					



Low Emissions Material • Zero VOC

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Product Info:

- Glazed Porcelain Tile
- Polished Finish
- 10.5mm Thickness
- PEI Rating = 2 (Nacar | Seagreen) | 4 (White)
- V3 Moderate Variation
- Frost Resistance = Yes

CASTILLO Glazed Porcelain Tile



www.genrose.com



www.genrose.com