

LUXURY

 GENROSE







3"x3" Hex Mosaic in Imperial Gold Calacatta  
24"x48" Field Tile in Imperial Gold Calactta



24"x24" Field Tile in Opulent Beige Onyx






12"x24" Field Tile | 2"x6" Chevron Mosaic in Majestic White Lasa  
3/4"x24" Inlay Wall Liner in Majestic White Lasa





24"x48" Field Tile in Regal Black




24"x24" Field Tile in Sovereign Grey  
24"x24" Field Tile in Majestic White Lasa



# AVAILABLE IN:

9mm Field Tiles			
SIZE	FINISH	COLORS	
12"x24"	Polished   Matte	Majestic White Lasa   Imperial Gold Calacatta   Opulent Beige Onyx   Sovereign Gray   Regal Black	
24"x24"	Polished   Matte	Majestic White Lasa   Imperial Gold Calacatta   Opulent Beige Onyx   Sovereign Gray   Regal Black	
24"x48"	Polished   Matte	Majestic White Lasa   Imperial Gold Calacatta   Opulent Beige Onyx   Sovereign Gray   Regal Black	
9mm Mosaics			
TYPE	FINISH	COLORS	
Arch Mosaic	Polished	Majestic White Lasa   Imperial Gold Calacatta   Opulent Beige Onyx   Sovereign Gray   Regal Black	
2"x2" Mosaic	Matte	Majestic White Lasa   Imperial Gold Calacatta   Opulent Beige Onyx   Sovereign Gray   Regal Black	
Chevron Mosaic	Polished   Matte	Majestic White Lasa   Imperial Gold Calacatta   Opulent Beige Onyx   Sovereign Gray   Regal Black	
Hexagon Mosaic	Polished   Matte	Majestic White Lasa   Imperial Gold Calacatta   Opulent Beige Onyx   Sovereign Gray   Regal Black	
Trim Pieces			
SIZE	TYPE	FINISH	COLORS
3"x24"	Bullnose	Polished   Matte	Majestic White Lasa   Imperial Gold Calacatta   Opulent Beige Onyx   Sovereign Gray   Regal Black
3/4"x24" Gold	Inlay Wall Liner	Polished	Majestic White Lasa   Sovereign Gray   Regal Black
3/4"x24" Silver	Inlay Wall Liner	Polished	Imperial Gold Calacatta   Opulent Beige Onyx

All Sizes are Nominal.



## MADE TO ORDER FIELD TILES AND MOSAICS:

Minimum quantity required. Contact your sales representative for more information.

This represents a small portion of the mosaic patterns we offer.

We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile can be cut down to a smaller size in any length and width combination with a 1" minimum.		2" 4"		1 3/8" x 3" 2" x 4"
		BRICKS		DIAMONDS	
			1" x 2" 1" x 3" 1 3/8" x 3" 2" x 4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
	Half Hexagon 6.7" Base		2" x 12"		1" x 2" 2" x 4" 5/8" x 4"
	Diamond 4"	OCTAGONS		HEXAGONS	
	Hexagon 6"		2" w/ 0.6" Squares		1 1/8" 2"
	Chevron 2" x 12" 6" x 24"	SQUARES		RECTANGLES	
	TRAPEZOID W/ DOT 4" x 2 1/2" w/ 3/8" Dot		1" x 1" 1 3/8" x 1 3/8" 2" x 2" 3" x 3"		1" x 2" 1" x 4"


\*Other sizes available upon request




Imperial Gold Calacatta



Majestic White Lasa



Opulent Beige Onyx



Regal Black



Sovereign Grey

Colors shown may vary from actual product. Final selection should be made from actual product samples.

### ARCH MOSAIC




Majestic White Lasa




Imperial Gold Calacatta



Opulent Beige Onyx



Sovereign Gray



Regal Black

### 2"X2" MOSAIC




Majestic White Lasa




Imperial Gold Calacatta



Opulent Beige Onyx



Sovereign Gray



Regal Black

### CHEVRON MOSAIC



Majestic White Lasa



Imperial Gold Calacatta



Opulent Beige Onyx



Sovereign Gray



Regal Black

### HEX MOSAIC



Majestic White Lasa



Imperial Gold Calacatta



Opulent Beige Onyx



Sovereign Gray



Regal Black

### 3/4"X24" INLAY WALL LINER



Majestic White Lasa



Imperial Gold Calacatta






Opulent Beige Onyx



Sovereign Gray



Regal Black

Features	Test Method	Value
Water Absorption	ASTM C373	≤ 0.5%
Breaking Strength	ASTM C648	≥450 lb <sub>f</sub> avg.
Linear Thermal Expansion	ASTM C372	Conforms
Thermal Shock Resistance	ASTM C484	No sample shows visible signs
Chemical Resistance	ASTM 650	Conforms
Stain Resistance	ASTM C1378	Conforms
Freeze/Thaw Resistance	ASTM C1026	Resistant
Bond Strength	ASTM C482	≥ 50 PSI (0.34 MPa)
Thickness	ASTM C499	max ± 0.030 inch
Surface Hardness	Mohs Scale	7 Mohs
Warpage Edge	C485	Conforms
DCOF (Wet)	ANSI A326.3	Pass (Matte Finish Only)
Recycled Material	-	≤40%
  		This product will contribute to USGBC registered LEED points. It will also contribute to the ANSI approved NAHB Green Building Points.

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

**Product Info:**

- Color Body Porcelain Tile
- Matte | Polished Finish
- 9mm Thickness
- Rectified Edge
- Frost Resistance = Yes
- V3 - Moderate Variation
- Check Decor 24 for Stock





[www.genrose.com](http://www.genrose.com)