



22.5"x22.5" Hexagon Field Tile in Avenue A Gray | Stuyvesant Charcoal | Tompkins Blue/Black 24"x24" Field Tile in Stuyvesant Charcoal 12"x24" Field Tile in Tompkins Blue/Black



24"x48" Field Tile in Avenue A Gray 12"x24" Field Tile in Potter's Red Clay 7"x7" Hexagon Mosaic in Warm Mix

AVAILABLE IN:

10mm Field Tiles

Rectified Edge

24"x48" Matte Finish 24"x24" Matte Finish 12"x24" Matte Finish 3.75"x12" Matte Finish

Hexagons

Waterjet-Cut Edge

22.5"x22.5" Hexagon Matte Finish
7"x7" Hexagon Mosaic Matte Finish

- All sizes are NOMINAL

Mosaic

2"x2" Mosaic Matte Finish

Trim Pieces

3½"x24" Bullnose Matte Finish


This represents a small portion of the mosaic patterns we offer.

We can cut any field tile to create a custom mosaic or field tile size as specified.

MADE TO ORDER FIELD TILES AND MOSAICS:

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile can be cut down to a smaller size in any length and width combination with a 1" minimum.		2" 4"		1³/ ₈ ″x3″ 2″x4″
		BRICKS		DIAMONDS	
			1"x2" 1"x3" 1 ³ / ₈ "x3" 2"x4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
Half Hexagon	6.7" Base		2"x12"		1"x2" 2"x4" ⁵ / ₈ "x4"
Diamond	4"	0010	GONS	HEAV	GONS
⟨ Hexagon	6"			TIEAA	
Chevron	2"x12" 6"x24"		2" w/ 0.6" Squares		1 ¹ / ₈ " 2"
TRAPEZOID W/ DOT		SQUARES		RECTANGLES	
	4"x2 ¹ / ₂ " w/ ⁵ / ₈ " Dot		1"x1" 2"x2" 1 ³ / ₈ "x1 ³ / ₈ " 3"x3"		1"x2" 1"x4"





Avenue A Gray



Stuyvesant Charcoal



E. Houston Warm Gray




Tompkins Blue/Black




Potter's Red Clay

2"X2" MOSAIC











Avenue A Gray

E. Houston Warm Gray

Potter's Red Clay

Stuyvesant Charcoal Tompkins Blue/Black

22.5"X22.5" HEXAGON FIELD TILE







Avenue A Gray

E. Houston Warm Gray

Potter's Red Clay






Stuyvesant Charcoal


Tompkins Blue/Black

7"X7" HEXAGON MOSAIC mixed assortment of A,B and C layouts

Warm Mix











Cool Mix







Features	Test Method	Value		
Water Absorption	ASTM C373	≤ 0.5%		
Thickness	ASTM C499	max ± 0.030 inch		
Scratch Hardness	-	7 MOHS		
Breaking Strength	ASTM C648	≥ 456 lbf. avg.		
Bond Strength	ASTM C482	≥ 50 PSI (0.34 MPa)		
Thermal Shock Resistance	ASTM C484	Resistant		
Frost Resistance	ASTM C1378	Resistant		
DCOF (WET)	ANSI A326.3	≥ 0.42		
Recycled Material	-	40%		



This product is GREENGUARD® certified and will contribute to USGBC registered LEED projects. It will also contribute to the ANSI approved NAHB Green Building Standard ICC 70.



This product has a permanent Microban treatment on the surface to reduce the growth of mold, mildew, and bacteria. The antimicrobial technologies from Microban do not need to be reapplied or activated and are registered with the Environmental Protection Agency (EPA) in the US and comply with the standards of the Biocidal Products Regulation (BPR) in Europe.

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations. Each 7x7 Hex Mosaic is (waterjet-cut) sold (6) pieces to a carton in a mixed assortment of A,B and C layouts. Total coverage per carton is 5.12 SQ.FT.



- Color Body Porcelain Tile
- Matte Finish
- 10mm Thickness
- Rectified Edge
- V2 Slight Shading Variation
- Frost Resistance = Yes



- Residential
- Light Commercial
- Heavy Commercial



www.genrose.com



www.genrose.com