




24"x48" Field Tile in Milk



Muretto Mosaic in Nut 24"x48" Field Tile in Nut



2"x2" Mosaic in Sage 12"x13" Hexagon Mosaic in Sage 18"x30" Field Tile in Sage







12"x12" Deco in Sunset 18"x30" Field Tile in Sunset

AVAILABLE IN:

10mm Field Tiles

Rectified Edge

4"x12" Natural Finish 24"x24" Natural Finish 24"x48" Natural Finish

10mm Field Tiles

Pressed Edge

12"x12" Natural Finish 12"x24" Natural Finish 18"x30" Natural Finish

Decos

4"x12" Natural Finish 12"x12" Natural Finish

Mosaics

1"x4" Chevron Mosaic
2"x2" Mosaic
Natural Finish
12"x12" Muretto Mosaic
Natural Finish
12"x13" Hexagon Mosaic
Natural Finish

Trim Pieces

3"x12" Bullnose Natural Finish 12"x12" Step Corner Natural Finish 12"x24" Step Natural Finish







- All sizes are NOMINAL

MADE TO ORDER FIELD TILES AND MOSAICS:

This represents a small portion of the mosaic patterns we offer.

We can cut any field tile to create a custom mosaic or field tile size as specified.

| FIELD TILES | | CUBES | | BASKETWEAVE | |
|--|--|----------|--|---|---------------------------------------|
| Any 24" field tile can be cut down to a smaller size in any length and width | | 2" 4" | | 1 ³ / ₈ "x3" 2"x4" | |
| | | BRICKS | | DIAMONDS | |
| | | | 1"x2" 1"x3" 1 ³ / ₈ "x3" 2"x4" | | 2" |
| FIELD SHAPES* | | CHEVRONS | | HERRINGBONE | |
| Half Hexagon | 6.7" Base | | 2"x12" | | 1"x2" 2"x4" |
| Diamond | 4" | | | , A A A | ⁵ / ₈ "×4" |
| | | OCTAGONS | | HEXAGONS | |
| \ \ \ \ Hexagon | 6" | | 2" | | 414.0 |
| Chevron | 2"x12" 6"x24" | | w/ 0.6" Squares | | 1 ¹ / ₈ " 2" |
| TRAPEZOID W/ DOT | | SQUARES | | RECTANGLES | |
| | 4"x2 ¹ / ₂ " w/ ⁵ / ₈ " Dot | | 1"x1" 2"x2" 1 ³ / ₈ "x1 ³ / ₈ " 3"x3" | | 1"x2" 1"x4" |

^{*}Other sizes available upon request





Milk Nut





Sage Sunset

DECO







Nut



Sage



Sunset

1"X4" CHEVRON MOSAIC





Nut



Sage



Sunset

2"X2" MOSAIC





Nut



Sage



Sunset

12"X12" MURETTO MOSAIC



Milk



Nut



Sage



Sunset

12"X13" HEXAGON MOSAIC



Milk



Nut



Sage



Sunset



| Features | Test Method | Value | |
|-----------------------------|--------------|------------------|--|
| Water Absorption | ISO 10545-3 | < 0.5% | |
| Modulus of Rupture | ISO 10545-4 | ≥ 43 N/mm² | |
| Surface Abrasion Resistance | ISO 10545-7 | 5 | |
| Thermal Shock Resistance | ISO 10545-9 | Guaranteed | |
| Frost Resistance | ISO 10545-12 | Guaranteed | |
| Chemical Resistance | ISO 10545-13 | GA GLA GHA | |
| Stain Resistance | ISO 10545-14 | Compliant | |
| DCOF | - | > 0.42 | |
| Clin Pasiatana | DIN 51130 | R10 | |
| Slip Resistance | DIN 51097 | A+B | |
| Recycled Content | - | Min. 12% | |

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Product Info:

- Glazed Porcelain Tile
- Natural Finish
- 10mm Thickness
- Rectified | Pressed Edge
- PEI Rating = 5
- V4 **EXTREME** Variation
- Frost Resistance = Yes



www.genrose.com



www.genrose.com