





24"x48" Field Tile in Calacatta Renoire





24"x48" Field Tile in Carrara Zebrino





24"x48" Field Tile in Carrara Arabescato

#### **AVAILABLE IN:**

\*Only Available in Carrara Arabescato, Cavblu, Carrara Gioia, Carrara Paonazzo, Caven

\*\*Only Available in Calacatta Renoire, Carrara Onyx Grey, Carrara Zebrino, Romano Greige, Romano White

#### 8mm Field Tiles

3"x6" Honed Finish Only in Cavblu and Caven

Honed | Polished Finish 12"x24" Honed | Polished Finish 24"x48" Honed | Polished Finish

#### Trim Piece

4"x24" Bullnose Honed | Polished Finish



#### Mosaics

1"x2" Mosaic Honed Finish\*\* 2"x2" Mosaic Honed Finish 2"x4" Mosaic Honed Finish\* Tiziano Mosaic Honed Finish\*

- All sizes are NOMINAL

### MADE TO ORDER FIELD TILES AND MOSAICS:

This represents a small portion of the mosaic patterns we offer. We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile		2" 4"		1 <sup>3</sup> / <sub>8</sub> "x3" 2"x4"
	a smaller size in any length and width combination with a 1" minimum.	BRICKS		DIAMONDS	
			1"x2" 1"x3" 1 <sup>3</sup> / <sub>8</sub> "x3" 2"x4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
Half Hexagon	6.7" Base		2"x12"		1"x2" 2"x4"
Diamond	4"			* > > >	<sup>5</sup> / <sub>8</sub> "×4"
		OCTAGONS		HEXAGONS	
Hexagon	6"	<b></b>	2"	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	11/ "
Chevron	2"x12" 6"x24"		w/ 0.6" Squares		1 <sup>1</sup> / <sub>8</sub> " 2"
TRAPEZOID W/ DOT		SQUARES		RECTANGLES	
	4"x2 <sup>1</sup> / <sub>2</sub> " w/ <sup>5</sup> / <sub>8</sub> " Dot		1"x1" 2"x2" 1 <sup>3</sup> / <sub>8</sub> "x1 <sup>3</sup> / <sub>8</sub> " 3"x3"		1"x2" 1"x4"





Carrara Arabescato



Cavblu



Carrara Paonazzo



Carrara Gioia



Calacatta Renoire



Carrara Onyx Grey



Carrara Zebrino



Romano Greige



**Romano White** 

### 2"X2" MOSAIC




Carrara Arabescato







Calacatta Renoire



Cavblu



Carrara Gioia


Carrara Zebrino



Carrara Paonazzo



Caven



Romano Greige




Romano White

### 2"X4" MOSAIC



Carrara Arabescato



Carrara Onyx Grey

Cavblu



Carrara Gioia



Carrara Paonazzo



Caven

# 1"X2" MOSAIC



Calacatta Renoire



Carrara Onyx Grey



Carrara Zebrino



Romano Greige



**Romano White** 

# **TIZIANO MOSAIC**



Carrara Arabescato



Cavblu

Carrara Gioia





**GENROSE** 

CAVA Color Body Porcelain Tile

Features	Test Methods	Value	
Water Absorption	ASTM C373	≤ 0.1%	
Bond Strength	ASTM C482	≥ 200 psi	
Warpage Average Edge		≤ ± 0.40%	
Warpage Average Diagonal	ASTM C485	≤ ± 0.40%	
Range of Thickness	107110100	≤ ± 0.04 Inc.	
Average Facial Dimension	ASTM C499	≤ ± 0.25%	
Wedging	ASTM C502	≤ ± 0.25%	
Breaking Strength	ASTM C648	≥ 400 lbf	
Chemical Resistance	ASTM C650	Class A	
Frost Resistance	ASTM C1026	No evidence of damage	
Visible Abrasion Resistance	ASTM C1027	Class 4	
Stain Resistance	ASTM C1378	Class A	
Coefficient of Friction (DCOF)	BOT 3000	≥ 0.55*	
Hardness (MOHS)	Scratch Test (No regulated)	≥ 7	
Aesthetic Classification	Visual Evaluation Shade & Texture	V2	
Thermal Shock Resistance	-	Guaranteed	
VOCs	-	No Emissions	
CRENCUARD CIRTURE	This product is GREENGUARD® certified and projects. It will also contribute to the ANSI ap	will contribute to USGBC registered LEED oproved NAHB Green Building Standard ICC 7	

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.







#### **Product Info:**

- Color Body Porcelain Tile
- Honed | Polished Finish
- 8mm Thicknesses
- Rectified Ed PEI Rating = 4
- V2 Slight Shading Variation
- Frost Resistance = Yes

www.genrose.com



www.genrose.com