# **CHELSEA**









2.5"x10.5" Tile in White 2.5"x10.5" Tile in Sage

2.5"x10.5" Tile in White 2.5"x10.5" Tile in Black

## **AVAILABLE IN:**

### Ceramic Tile\*

2.5"x10.5" Matte Finish

- All sizes are nominal
- \*Residential Floor Indoor Only
- \*\* Indoor Only (Due to absorption)




Porcelain Tile\*\*


Hexagon Matte Finish

6"x6.8"

6"x6.8" Hexagon Tile in White 6"x6.8" Hexagon Tile in Black







Black Turquoise







Features	Test Method	Value
Water Absorption	ISO 10545-3	> 0.5% <10%
Abrasion Resistance	ISO 10545-7	4 (Other Colors) 3 (Black   Indigo)
Crazing Resistance	ISO 10545-11	Resistant
Chemical Resistance	ISO 10545-13	GHB
Stain Resistance	ISO 10545-14	4
Slip Resistance	DIN 51130: 2014-02	R10

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

#### \*Residental Floor Indoor Only

#### **Product Info:**

- Ceramic | Glazed Porcelain Tile
- Matte Finish
- 8mm Thickness
- Pressed Edge
- PEI Rating = 4 (Other Colors)3 (Black | Indigo)
- V1 Uniform Variation
- Frost Resistance = No



www.genrose.com

<sup>\*\*</sup>Indoor only (due to the absorption)



www.genrose.com