KOBRA

For more product information, scan the QR code.

12" x 24" Floor Tile in Cream

12" x 24" Floor Tile in Light Stone

12" x 24" Floor Tile in Topaz

12" x 24" Floor Tile in Calacatta

12" x 24" Floor Tile in Travertine

AVAILABLE STOCKED ITEMS:

6mm Floor Tiles		
SIZE	**FINISH**	**COLORS**
12" x 24"	Smooth	Calacatta | Cream | Light Stone | Nero Marquina | Topaz | Travertine

All Sizes are Nominal.

12" x 24" Floor Tile in Calacatta

Calacatta

Cream

Light Stone

Nero Marquina

Topaz

Travertine

Colors shown may vary from actual product. Final selection should be made from actual product samples.
Products and availability are subject to change, please refer to our website for the most up to date selection.

12" x 24" Floor Tile in Nero Marquina

GENROSE

Features	Test Method	Value
Size & Straightness	EN 426	Passes
Thickness	EN 428	Passes
Dimensional Stability	EN 434	Surpasses
Flexibility	EN 435	Passes
Residual Stability	EN 433	Surpasses
Castor Chair	ISO 4918	Passes
Color Fastness To Light	ISO 105-B02	Surpasses
Product-Content Safety	Reach Svhc 163	Passes
Formaldhehyde Emission	EN 717-1	0 Mg/M
Slip Resistance — Dry	EN 13893	Surpasses
Slip Resistance — Wet	Din 51130	Surpasses
Chemical Resistance	EN 423	No Effect
Reaction To Fire	EN 13501-1	Bfl-S1 Classification
Iic (Impact Isolaton Class)	Impact Sound Absorption	72 Db
STC (Sound Transmission Class)	Traveling Sound Absorption	71 Db

This product will contribute to USGBC registered LEED projects.
Low Emissions Material • Zero VOC

Product Info:

- SPC Drop and Lock System
- 25 Year Residential Warranty (Material Only)
- 100% Phthalate-Free
- Anti-Microbial Coating Embedded with Ceramic Bead Finish
- Sound Reduction Underlayment
- 100% Waterproof
- Micro-Bevel Edge
- 22 mil Wear Layer (.55mm)
- 6mm Thickness
- 100% Virgin Premium SPC (Stone Polyvinyl Composite)
- 4x UV Coating
- Floorscore Certified
- Excellent Scratch/Abrasion Resistance
- Use with Radiant Flooring Recommended
- Approximately 1 Pattern Repeat in Every 10 Cartons (80 tiles) 8 Tiles per Box

www.genrose.com

Contact your sales representative for more information. All material must be inspected prior to installation. Absolutely no claims will be accepted after installation.

www.genrose.com