MAJESTY











16"x32" Field Tile in Grigio Chiaro 32"x32" Field Tile in Antracite

32"x32" Field Tile in Avorio





Muretto Mosaic in Grigio Chiaro





16"x32" Field Tile in Beige 16"x32" Deco in Beige

AVAILABLE IN:*Not Available in Antracite and Tabacco **Not Available in Tabacco

Field Tile

10mm	Trim	Pieces
------	------	--------

24"x48"	10mm Natural Finish	13″x48″	Stairtread Natural Finish
32″x32″	10.5mm Natural Finish	13″x48″	Stair Corner Right Natural Finish
16″x32″	10.5mm Natural Finish	13″x48″	Stair Corner Left Natural Finish
24"x24"	10mm Natural Finish	3"x32"	Bullnose Natural Finish
12"x24"	10mm Natural Finish	3"x24"	Bullnose Natural Finish
5″x16″	10mm Natural Finish	12″x24″	Stairtread Natural Finish

Deco + Mosaics

16"x32"	10.5mm Deco Natural Finish**
	10mm Muretto Mosaic Natural Finish
2"x2"	10mm Mosaic Natural Finish
1"x1"	10mm Mosaic Natural Finish
3″x3″	10mm 3D Mosaic Natural Finish*
2″x4″	10mm 3D Mosaic Natural Finish*

- All sizes are nominal

MADE TO ORDER FIELD TILES AND MOSAICS:

This represents a small portion of the mosaic patterns we offer. We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE		
	Any 24" field tile can be cut down to		2" 4"		1 ³ / ₈ "x3" 2"x4"	
	a smaller size in any length and width combination with a 1″ minimum.	BRICKS		DIAMONDS		
			1"x2" 1"x3" 1 ³ / ₈ "x3" 2"x4"		2"	
FIELD S	FIELD SHAPES*		CHEVRONS		HERRINGBONE	
Half Hexagon	6.7" Base		2"x12"		1"x2" 2"x4"	
🔿 Diamond	4"			*\Y\Y\>	⁵ / ₈ "x4"	
	~		OCTAGONS		HEXAGONS	
A Hexagon	6"	88888				
Chevron	2"×12" 6"×24"		2" w/ 0.6" Squares		1 ¹ / ₈ " 2"	
TRAPEZOID W/ DOT		SQUARES		RECTANGLES		
	4"x2 ¹ / ₂ " w/ ⁵ / ₈ " Dot		1"x1" 2"x2" 1 ³ / ₈ "x1 ³ / ₈ " 3"x3"		1"x2" 1"x4"	



Avorio

Beige



Grigio Chiaro

Tabacco



Antracite









1"X1" MOSAIC



MURETTO MOSAIC







Avorio

Avorio

16"X32" DECO

Antracite



Antracite

3"X3" 3D MOSAIC







Avorio

Grigio Chiaro





Beige



Characteristics	Test Method	Requirements	Our Value		
Determination of Water Absorption	ASTM C 373	E _b ≤0,5 %	Average value < 0,5%		
Breaking Strength	ASTM C 648	Average≥250 lbf (1.11 kN) Individual≥225 lbf (1.00 kN)	Complies		
Visible Abrasion	ASTM C 1027	As reported	PEI 4	Antracite Beige Grigio Chiaro Tabacco	
			PEI 5	Avorio	
Thermal Shock Resistance	ASTM C 428	Pass	Complies		
Crazing Resistance	ASTM C 424	Pass	Complies		
Resistance to Freeze/Thaw Cycling	ASTM C 1026	As reported	Resistant		
DCOF Resistance	ANSI A 137.1 Section 9.6	≥ 0.42	DCOF ≥ 0.42		
Bond Strength	ASTM C 482	≥ 50 psi (0.34 MPa)	> 1 MPa		
Color Uniformity	ASTM C 609	V0 – 3 Judds	See the specific section		
Chemical Resistance	ASTM C 650	As reported	Resistant		
Stain Resistance	ASTM C 1378	As reported	Resistant		
Dimensions	ASTM C 499 ASTM C 485 ASTM C 502	See ANSI A 137.1 - Tab. 10	Complies		
Recycled Content		40%			
Sustainability / Conformance		vill contribute to USGBC registered LEED projects. tribute to the ANSI approved NAHB Green Building Standard ICC 70.			

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Product Info:

- Glazed Porcelain Tile •
- Natural Finish •
- 10mm | 10.5mm Thicknesses •
- Rectified Edge ٠
- PEI Rating = 4 for Antracite / Beige / Grigio Chiaro / Tabacco • 5 for Avorio
- V2 Slight Shading Variation
- Frost Resistance = Yes

Contact your sales representative for more information. All material must be inspected prior to installation. Absolutely no claims will be accepted after installation.



Grigio Chiaro



Beige

2"X4" 3D MOSAIC

Beige

MAJESTY Glazed Porcelain Tile





www.genrose.com



www.genrose.com