NANTUCKET







10"x28" Field Tile in Crema




AVAILABLE IN:

Wall Tiles + Decos

Pressed Edge

10"x28" Matte Finish 10"x28" Deco Matte Finish

- All sizes are NOMINAL







Bianco Crema





Vision Azul



10"x28" Field Tile in Azul | Bianco





Features	Test Method	Value
Length and Width	ISO 10545-2	701.0 ± 0.60 mm 249.8 ± 0.40 mm
Thickness		10.10 ± 0.50 mm
Straightness of Sides		≤ 0.60 mm
Squareness		≤ 0.80 mm
Surface Flatness		+ 0.90 mm / - 0.50 mm
Breaking Strength	- ISO 1054-4	900 N
Modulus of Rupture		19 N/mm²
Staining Resistance	ISO 10545-14	Class 5
Chemical Resistance	-	GA/ GLA/ GHA
Fixing	UNE CEN/TR 12548 IN	Min: in 2.5 mm

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Product Info:

- Ceramic Tile
- Matte Finish
- Pressed Edge
- V3 Moderate Variation
- Frost Resistance = No



www.genrose.com



www.genrose.com